

平成14年度 肺がんCT検診結果実績表(実施主体別)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 実施主体 | 性別 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 読影検査判定結果 | | 精密検査の結果 | | | | | 発見率 | | |
|------|----|-------|----------|-------|-----------|--------|--------------|-----------|----------|-----|-----|-----|-----|-----|-------|-------|
| | | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった | 肺がん | その他 | 異常 | 未確定 | | | |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | の疑い | の疾患 | なし | | |
| 上松町 | 男 | 36 | 1 | 2.8% | 1 | 100.0% | 1 | | | | | | | | | |
| | 女 | 31 | 1 | 3.2% | 1 | 100.0% | | 1 | | | 1 | | | | 3.23% | |
| | 計 | 67 | 2 | 3.0% | 2 | 100.0% | 1 | 1 | 1 | | 1 | | 1 | | 1.49% | |
| 朝日村 | 男 | 38 | | | | | | | | | | | | | | |
| | 女 | 21 | 1 | 4.8% | 1 | 100.0% | 1 | | | | | | 1 | | | |
| | 計 | 59 | 1 | 1.7% | 1 | 100.0% | 1 | | | | | | 1 | | | |
| 梓川村 | 男 | 79 | 3 | 3.8% | 3 | 100.0% | 2 | 1 | | | | | 3 | | | |
| | 女 | 57 | 2 | 3.5% | 2 | 100.0% | 1 | 1 | 1 | | 1 | | 1 | | 1.75% | |
| | 計 | 136 | 5 | 3.7% | 5 | 100.0% | 3 | 2 | 1 | | 1 | | 4 | | 0.74% | |
| 堀金村 | 男 | 155 | 4 | 2.6% | 4 | 100.0% | 3 | 1 | | | | | 3 | 1 | | |
| | 女 | 180 | 3 | 1.7% | 3 | 100.0% | 2 | 1 | 1 | | 1 | | 2 | | 0.56% | |
| | 計 | 335 | 7 | 2.1% | 7 | 100.0% | 5 | 2 | 1 | | 1 | | 5 | 1 | 0.30% | |
| 安曇村 | 男 | 47 | 2 | 4.3% | 2 | 100.0% | 2 | | 1 | | 1 | | | 1 | 2.13% | |
| | 女 | 28 | | | | | | | | | | | | | | |
| | 計 | 75 | 2 | 2.7% | 2 | 100.0% | 2 | | 1 | | 1 | | | 1 | 1.33% | |
| 飯島町 | 男 | 144 | 4 | 2.8% | 4 | 100.0% | 4 | | | | | | 3 | 1 | | |
| | 女 | 92 | 4 | 4.3% | 4 | 100.0% | 4 | | 1 | | 1 | | 2 | 1 | 1.09% | |
| | 計 | 236 | 8 | 3.4% | 8 | 100.0% | 8 | | 1 | | 1 | | 5 | 1 | 0.42% | |
| 生坂村 | 男 | 61 | 6 | 9.8% | 5 | 83.3% | 6 | | | | | | 4 | 1 | | |
| | 女 | 53 | | | | | | | | | | | | | | |
| | 計 | 114 | 6 | 5.3% | 5 | 83.3% | 6 | | | | | | 4 | 1 | | |
| 小布施町 | 男 | 235 | 14 | 6.0% | 13 | 92.9% | 12 | 2 | 1 | | 1 | | 10 | 2 | 0.43% | |
| | 女 | 131 | 5 | 3.8% | 5 | 100.0% | 4 | 1 | 1 | | 1 | | 2 | 2 | 0.76% | |
| | 計 | 366 | 19 | 5.2% | 18 | 94.7% | 16 | 3 | 2 | | 2 | | 12 | 4 | 0.55% | |
| 開田村 | 男 | 39 | 2 | 5.1% | 2 | 100.0% | 1 | 1 | | | | | 2 | | | |
| | 女 | 8 | | | | | | | | | | | | | | |
| | 計 | 47 | 2 | 4.3% | 2 | 100.0% | 1 | 1 | | | | | 2 | | | |
| 駒ヶ根市 | 男 | 249 | 10 | 4.0% | 9 | 90.0% | 8 | 2 | 1 | | 1 | | 7 | 1 | 0.40% | |
| | 女 | 127 | 6 | 4.7% | 4 | 66.7% | 6 | | 1 | | 1 | | 1 | 2 | 0.79% | |
| | 計 | 376 | 16 | 4.3% | 13 | 81.3% | 14 | 2 | 2 | | 2 | | 8 | 2 | 0.53% | |
| 塩尻市 | 男 | 400 | 10 | 2.5% | 9 | 90.0% | 6 | 4 | 1 | | 1 | | 7 | 1 | 0.25% | |
| | 女 | 303 | 9 | 3.0% | 9 | 100.0% | 7 | 2 | | | | | 7 | 2 | | |
| | 計 | 703 | 19 | 2.7% | 18 | 94.7% | 13 | 6 | 1 | | 1 | | 14 | 3 | 0.14% | |
| 須坂市 | 男 | 156 | 6 | 3.8% | 6 | 100.0% | 4 | 2 | 2 | | 2 | | 3 | 1 | 1.28% | |
| | 女 | 13 | | | | | | | | | | | | | | |
| | 計 | 169 | 6 | 3.6% | 6 | 100.0% | 4 | 2 | 2 | | 2 | | 3 | 1 | 1.18% | |
| 清内路村 | 男 | 19 | | | | | | | | | | | | | | |
| | 女 | 8 | 1 | 12.5% | 1 | 100.0% | 1 | | | | | | 1 | | | |
| | 計 | 27 | 1 | 3.7% | 1 | 100.0% | 1 | | | | | | 1 | | | |
| 高遠町 | 男 | 66 | 7 | 10.6% | 6 | 85.7% | 4 | 3 | 1 | | 1 | | 2 | 1 | 1.52% | |
| | 女 | 69 | 4 | 5.8% | 4 | 100.0% | 2 | 2 | | | | | 2 | 2 | | |
| | 計 | 135 | 11 | 8.1% | 10 | 90.9% | 6 | 5 | 1 | | 1 | | 4 | 3 | 0.74% | |
| 高山村 | 男 | 213 | 2 | 0.9% | 2 | 100.0% | 2 | | | | | | 1 | 1 | | |
| | 女 | 119 | 4 | 3.4% | 4 | 100.0% | 2 | 2 | | | | | 4 | | | |
| | 計 | 332 | 6 | 1.8% | 6 | 100.0% | 4 | 2 | | | | | 1 | 5 | | |
| 南木曾町 | 男 | 107 | 2 | 1.9% | 1 | 50.0% | 2 | | | | | | 1 | | | |
| | 女 | 64 | 3 | 4.7% | 3 | 100.0% | 3 | | | | | | 2 | 1 | | |
| | 計 | 171 | 5 | 2.9% | 4 | 80.0% | 5 | | | | | | 3 | 1 | | |
| 楢川村 | 男 | 61 | 2 | 3.3% | 2 | 100.0% | 2 | | | | | | 1 | 1 | | |
| | 女 | 26 | 1 | 3.8% | 1 | 100.0% | | 1 | | | | | 1 | | | |
| | 計 | 87 | 3 | 3.4% | 3 | 100.0% | 2 | 1 | | | | | 1 | 2 | | |
| 日義村 | 男 | 7 | | | | | | | | | | | | | | |
| | 女 | 12 | | | | | | | | | | | | | | |
| | 計 | 19 | | | | | | | | | | | | | | |
| 本城村 | 男 | 19 | 2 | 10.5% | 2 | 100.0% | 2 | | | | | | | 2 | | |
| | 女 | 11 | | | | | | | | | | | | | | |
| | 計 | 30 | 2 | 6.7% | 2 | 100.0% | 2 | | | | | | | 2 | | |
| 松川村 | 男 | 65 | 1 | 1.5% | 1 | 100.0% | 1 | | | | | | 1 | | | |
| | 女 | 41 | 3 | 7.3% | 3 | 100.0% | 3 | | | | | | 2 | 1 | | |
| | 計 | 106 | 4 | 3.8% | 4 | 100.0% | 4 | | | | | | 3 | 1 | | |
| 三郷村 | 男 | 176 | 9 | 5.1% | 8 | 88.9% | 7 | 2 | 1 | | 1 | | 4 | 2 | 0.57% | |
| | 女 | 171 | 15 | 8.8% | 14 | 93.3% | 10 | 5 | 1 | | 1 | | 7 | 4 | 0.58% | |
| | 計 | 347 | 24 | 6.9% | 22 | 91.7% | 17 | 7 | 2 | | 2 | | 11 | 6 | 0.58% | |
| 南箕輪村 | 男 | 174 | 7 | 4.0% | 7 | 100.0% | 6 | 1 | 1 | | 1 | | 6 | | 0.57% | |
| | 女 | 113 | 3 | 2.7% | 3 | 100.0% | 3 | | | | | | 3 | | | |
| | 計 | 287 | 10 | 3.5% | 10 | 100.0% | 9 | 1 | 1 | | 1 | | 9 | | 0.35% | |
| 八坂村 | 男 | 23 | 1 | 4.3% | 1 | 100.0% | 1 | | | | | | 1 | | | |
| | 女 | 19 | 1 | 5.3% | 1 | 100.0% | | 1 | 1 | | 1 | | | | 5.26% | |
| | 計 | 42 | 2 | 4.8% | 2 | 100.0% | 1 | 1 | 1 | | 1 | | 1 | | 2.38% | |
| 合計 | 男 | 2,569 | 95 | 3.7% | 88 | 92.6% | 76 | 19 | 9 | | 9 | | 3 | 60 | 10 | 0.35% |
| | 女 | 1,697 | 66 | 3.9% | 63 | 95.5% | 49 | 17 | 8 | | 8 | | 1 | 38 | 13 | 0.47% |
| | 計 | 4,266 | 161 | 3.8% | 151 | 93.8% | 125 | 36 | 17 | | 17 | | 4 | 98 | 23 | 0.40% |

平成14年度 肺がんCT検診結果実績表(年齢別)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | 発見率 | | |
|-------|-------|----------|------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|-----|----------|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | | 異常 なし | 未確定 |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | |
| 39 以下 | 77 | | | | | | | | | | | | | | | |
| 40-44 | 120 | 2 | 1.7% | 1 | 50.0% | 2 | | | | | | | | 1 | | |
| 45-49 | 163 | 2 | 1.2% | 1 | 50.0% | | 2 | | | | | | | 1 | | |
| 50-54 | 249 | 13 | 5.2% | 13 | 100.0% | 7 | 6 | | | | | 11 | | 2 | | |
| 55-59 | 245 | 6 | 2.4% | 6 | 100.0% | 6 | | | | | 1 | 4 | | | 1 | |
| 60-64 | 443 | 6 | 1.4% | 6 | 100.0% | 5 | 1 | | | | | 3 | | 2 | 1 | |
| 65-69 | 458 | 20 | 4.4% | 17 | 85.0% | 16 | 4 | 5 | | | | 9 | | 2 | 1 | 1.09% |
| 70-74 | 467 | 25 | 5.4% | 24 | 96.0% | 23 | 2 | 2 | | | | 19 | | 1 | 2 | 0.43% |
| 75 以上 | 347 | 21 | 6.1% | 20 | 95.2% | 17 | 4 | 2 | | | | 2 | 14 | 1 | 1 | 0.58% |
| 男性計 | 2,569 | 95 | 3.7% | 88 | 92.6% | 76 | 19 | 9 | | | | 3 | 60 | 10 | 6 | 0.35% |
| 39 以下 | 58 | 1 | 1.7% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 40-44 | 104 | 3 | 2.9% | 3 | 100.0% | 3 | | 1 | | | | | 1 | | 1 | 0.96% |
| 45-49 | 114 | 1 | 0.9% | 1 | 100.0% | 1 | | | | | | | | 1 | | |
| 50-54 | 167 | 5 | 3.0% | 5 | 100.0% | 2 | 3 | 2 | | | | 3 | | | | 1.20% |
| 55-59 | 217 | 6 | 2.8% | 5 | 83.3% | 4 | 2 | 1 | | | | 2 | | 2 | | 0.46% |
| 60-64 | 303 | 11 | 3.6% | 11 | 100.0% | 7 | 4 | 1 | | | | 9 | | 1 | | 0.33% |
| 65-69 | 311 | 18 | 5.8% | 17 | 94.4% | 16 | 2 | 1 | | | | 11 | | 4 | 1 | 0.32% |
| 70-74 | 265 | 16 | 6.0% | 15 | 93.8% | 12 | 4 | 2 | | | | 8 | | 4 | 1 | 0.75% |
| 75 以上 | 158 | 5 | 3.2% | 5 | 100.0% | 3 | 2 | | | | | 4 | | 1 | | |
| 女性計 | 1,697 | 66 | 3.9% | 63 | 95.5% | 49 | 17 | 8 | | | | 1 | 38 | 13 | 3 | 0.47% |
| 39 以下 | 135 | 1 | 0.7% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 40-44 | 224 | 5 | 2.2% | 4 | 80.0% | 5 | | 1 | | | | | 1 | 1 | 1 | 0.45% |
| 45-49 | 277 | 3 | 1.1% | 2 | 66.7% | 1 | 2 | | | | | | | 2 | | |
| 50-54 | 416 | 18 | 4.3% | 18 | 100.0% | 9 | 9 | 2 | | | | 14 | | 2 | | 0.48% |
| 55-59 | 462 | 12 | 2.6% | 11 | 91.7% | 10 | 2 | 1 | | | | 1 | 6 | 2 | 1 | 0.22% |
| 60-64 | 746 | 17 | 2.3% | 17 | 100.0% | 12 | 5 | 1 | | | | 12 | | 3 | 1 | 0.13% |
| 65-69 | 769 | 38 | 4.9% | 34 | 89.5% | 32 | 6 | 6 | | | | 20 | | 6 | 2 | 0.78% |
| 70-74 | 732 | 41 | 5.6% | 39 | 95.1% | 35 | 6 | 4 | | | | 27 | | 5 | 3 | 0.55% |
| 75 以上 | 505 | 26 | 5.1% | 25 | 96.2% | 20 | 6 | 2 | | | | 2 | 18 | 2 | 1 | 0.40% |
| 総合計 | 4,266 | 161 | 3.8% | 151 | 93.8% | 125 | 36 | 17 | | | | 4 | 98 | 23 | 9 | 0.40% |

平成14年度 肺がんCT検診結果実績表(新規)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | 発見率 | | |
|-------|-------|----------|------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|-----|----------|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | | 異常 なし | 未確定 |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | |
| 39 以下 | 65 | | | | | | | | | | | | | | | |
| 40-44 | 76 | 2 | 2.6% | 1 | 50.0% | 2 | | | | | | | | 1 | | |
| 45-49 | 89 | 1 | 1.1% | | | | 1 | | | | | | | | | |
| 50-54 | 134 | 9 | 6.7% | 9 | 100.0% | 6 | 3 | | | | | 8 | 1 | | | |
| 55-59 | 136 | 5 | 3.7% | 5 | 100.0% | 5 | | | | | 1 | 3 | | 1 | | |
| 60-64 | 253 | 5 | 2.0% | 5 | 100.0% | 4 | 1 | | | | | 3 | 1 | 1 | | |
| 65-69 | 222 | 13 | 5.9% | 11 | 84.6% | 9 | 4 | 4 | | | | 4 | 2 | 1 | 1.80% | |
| 70-74 | 193 | 12 | 6.2% | 11 | 91.7% | 11 | 1 | 1 | | | | 7 | 1 | 2 | 0.52% | |
| 75 以上 | 149 | 11 | 7.4% | 11 | 100.0% | 9 | 2 | | | | 2 | 7 | 1 | 1 | | |
| 男性計 | 1,317 | 58 | 4.4% | 53 | 91.4% | 46 | 12 | 5 | | | | 3 | 32 | 7 | 6 | 0.38% |
| 39 以下 | 50 | 1 | 2.0% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 40-44 | 81 | 3 | 3.7% | 3 | 100.0% | 3 | | 1 | | | | 1 | | 1 | 1.23% | |
| 45-49 | 87 | 1 | 1.1% | 1 | 100.0% | 1 | | | | | | | 1 | | | |
| 50-54 | 109 | 3 | 2.8% | 3 | 100.0% | 2 | 1 | 1 | | | | 2 | | | 0.92% | |
| 55-59 | 136 | 3 | 2.2% | 3 | 100.0% | 2 | 1 | | | | | 1 | 2 | | | |
| 60-64 | 182 | 7 | 3.8% | 7 | 100.0% | 3 | 4 | | | | | 6 | 1 | | | |
| 65-69 | 180 | 12 | 6.7% | 11 | 91.7% | 10 | 2 | 1 | | | | 8 | 2 | | 0.56% | |
| 70-74 | 142 | 11 | 7.7% | 10 | 90.9% | 9 | 2 | 2 | | | | 5 | 3 | | 1.41% | |
| 75 以上 | 86 | 3 | 3.5% | 3 | 100.0% | 1 | 2 | | | | | 2 | 1 | | | |
| 女性計 | 1,053 | 44 | 4.2% | 42 | 95.5% | 32 | 12 | 5 | | | | 1 | 25 | 10 | 1 | 0.47% |
| 39 以下 | 115 | 1 | 0.9% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 40-44 | 157 | 5 | 3.2% | 4 | 80.0% | 5 | | 1 | | | | 1 | 1 | 1 | 0.64% | |
| 45-49 | 176 | 2 | 1.1% | 1 | 50.0% | 1 | 1 | | | | | | 1 | | | |
| 50-54 | 243 | 12 | 4.9% | 12 | 100.0% | 8 | 4 | 1 | | | | 10 | 1 | | 0.41% | |
| 55-59 | 272 | 8 | 2.9% | 8 | 100.0% | 7 | 1 | | | | 1 | 4 | 2 | 1 | | |
| 60-64 | 435 | 12 | 2.8% | 12 | 100.0% | 7 | 5 | | | | | 9 | 2 | 1 | | |
| 65-69 | 402 | 25 | 6.2% | 22 | 88.0% | 19 | 6 | 5 | | | | 12 | 4 | 1 | 1.24% | |
| 70-74 | 335 | 23 | 6.9% | 21 | 91.3% | 20 | 3 | 3 | | | | 12 | 4 | 2 | 0.90% | |
| 75 以上 | 235 | 14 | 6.0% | 14 | 100.0% | 10 | 4 | | | | 2 | 9 | 2 | 1 | | |
| 総合計 | 2,370 | 102 | 4.3% | 95 | 93.1% | 78 | 24 | 10 | | | | 4 | 57 | 17 | 7 | 0.42% |

平成14年度 肺がんCT検診結果実績表(経年)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | | 発見率 | | |
|-------|-------|----------|------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|----------|-----|-----|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | 異常 なし | | 未確定 | |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | | |
| 39 以下 | 9 | | | | | | | | | | | | | | | | |
| 40-44 | 40 | | | | | | | | | | | | | | | | |
| 45-49 | 62 | 1 | 1.6% | 1 | 100.0% | | 1 | | | | | | | | 1 | | |
| 50-54 | 94 | 3 | 3.2% | 3 | 100.0% | 1 | 2 | | | | | | | 2 | 1 | | |
| 55-59 | 90 | 1 | 1.1% | 1 | 100.0% | 1 | | | | | | | 1 | | | | |
| 60-64 | 164 | 1 | 0.6% | 1 | 100.0% | 1 | | | | | | | | | 1 | | |
| 65-69 | 196 | 5 | 2.6% | 4 | 80.0% | 5 | | | | | | | 4 | | | | |
| 70-74 | 230 | 10 | 4.3% | 10 | 100.0% | 9 | 1 | 1 | | | | | 9 | | | | 0.43% |
| 75 以上 | 160 | 10 | 6.3% | 9 | 90.0% | 8 | 2 | 2 | | | | | 7 | | | | 1.25% |
| 男性計 | 1,045 | 31 | 3.0% | 29 | 93.5% | 25 | 6 | 3 | | | | | 23 | 3 | | | 0.29% |
| 39 以下 | 7 | | | | | | | | | | | | | | | | |
| 40-44 | 20 | | | | | | | | | | | | | | | | |
| 45-49 | 24 | | | | | | | | | | | | | | | | |
| 50-54 | 45 | 1 | 2.2% | 1 | 100.0% | | 1 | | | | | | 1 | | | | |
| 55-59 | 64 | 1 | 1.6% | 1 | 100.0% | | 1 | 1 | | | | | | | | | 1.56% |
| 60-64 | 96 | 3 | 3.1% | 3 | 100.0% | 3 | | 1 | | | | | 2 | | | | 1.04% |
| 65-69 | 108 | 4 | 3.7% | 4 | 100.0% | 4 | | | | | | | 1 | 2 | 1 | | |
| 70-74 | 91 | 2 | 2.2% | 2 | 100.0% | 1 | 1 | | | | | | 1 | | 1 | | |
| 75 以上 | 62 | 2 | 3.2% | 2 | 100.0% | 2 | | | | | | | 2 | | | | |
| 女性計 | 517 | 13 | 2.5% | 13 | 100.0% | 10 | 3 | 2 | | | | | 7 | 2 | 2 | | 0.39% |
| 39 以下 | 16 | | | | | | | | | | | | | | | | |
| 40-44 | 60 | | | | | | | | | | | | | | | | |
| 45-49 | 86 | 1 | 1.2% | 1 | 100.0% | | 1 | | | | | | | | 1 | | |
| 50-54 | 139 | 4 | 2.9% | 4 | 100.0% | 1 | 3 | | | | | | 3 | 1 | | | |
| 55-59 | 154 | 2 | 1.3% | 2 | 100.0% | 1 | 1 | 1 | | | | | 1 | | | | 0.65% |
| 60-64 | 260 | 4 | 1.5% | 4 | 100.0% | 4 | | 1 | | | | | 2 | 1 | | | 0.38% |
| 65-69 | 304 | 9 | 3.0% | 8 | 88.9% | 9 | | | | | | | 5 | 2 | 1 | | |
| 70-74 | 321 | 12 | 3.7% | 12 | 100.0% | 10 | 2 | 1 | | | | | 10 | | 1 | | 0.31% |
| 75 以上 | 222 | 12 | 5.4% | 11 | 91.7% | 10 | 2 | 2 | | | | | 9 | | | | 0.90% |
| 総合計 | 1,562 | 44 | 2.8% | 42 | 95.5% | 35 | 9 | 5 | | | | | 30 | 5 | 2 | | 0.32% |

平成14年度 肺がんCT検診結果実績表(隔年)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | 発見率 | | | |
|-------|------|----------|-------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|-----|----------|-----|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | | 異常 なし | 未確定 | |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | | |
| 39 以下 | 3 | | | | | | | | | | | | | | | | |
| 40-44 | 4 | | | | | | | | | | | | | | | | |
| 45-49 | 12 | | | | | | | | | | | | | | | | |
| 50-54 | 21 | 1 | 4.8% | 1 | 100.0% | | 1 | | | | | | 1 | | | | |
| 55-59 | 19 | | | | | | | | | | | | | | | | |
| 60-64 | 26 | | | | | | | | | | | | | | | | |
| 65-69 | 40 | 2 | 5.0% | 2 | 100.0% | 2 | | 1 | | | | | 1 | | | | 2.50% |
| 70-74 | 44 | 3 | 6.8% | 3 | 100.0% | 3 | | | | | | | 3 | | | | |
| 75 以上 | 38 | | | | | | | | | | | | | | | | |
| 男性計 | 207 | 6 | 2.9% | 6 | 100.0% | 5 | 1 | 1 | | | | | 5 | | | | 0.48% |
| 39 以下 | 1 | | | | | | | | | | | | | | | | |
| 40-44 | 3 | | | | | | | | | | | | | | | | |
| 45-49 | 3 | | | | | | | | | | | | | | | | |
| 50-54 | 13 | 1 | 7.7% | 1 | 100.0% | | 1 | 1 | | | | | | | | | 7.69% |
| 55-59 | 17 | 2 | 11.8% | 1 | 50.0% | 2 | | | | | | | 1 | | | | |
| 60-64 | 25 | 1 | 4.0% | 1 | 100.0% | 1 | | | | | | | 1 | | | | |
| 65-69 | 23 | 2 | 8.7% | 2 | 100.0% | 2 | | | | | | | 2 | | | | |
| 70-74 | 32 | 3 | 9.4% | 3 | 100.0% | 2 | 1 | | | | | | 2 | 1 | | | |
| 75 以上 | 10 | | | | | | | | | | | | | | | | |
| 女性計 | 127 | 9 | 7.1% | 8 | 88.9% | 7 | 2 | 1 | | | | | 6 | 1 | | | 0.79% |
| 39 以下 | 4 | | | | | | | | | | | | | | | | |
| 40-44 | 7 | | | | | | | | | | | | | | | | |
| 45-49 | 15 | | | | | | | | | | | | | | | | |
| 50-54 | 34 | 2 | 5.9% | 2 | 100.0% | | 2 | 1 | | | | | 1 | | | | 2.94% |
| 55-59 | 36 | 2 | 5.6% | 1 | 50.0% | 2 | | | | | | | 1 | | | | |
| 60-64 | 51 | 1 | 2.0% | 1 | 100.0% | 1 | | | | | | | 1 | | | | |
| 65-69 | 63 | 4 | 6.3% | 4 | 100.0% | 4 | | 1 | | | | | 3 | | | | 1.59% |
| 70-74 | 76 | 6 | 7.9% | 6 | 100.0% | 5 | 1 | | | | | | 5 | 1 | | | |
| 75 以上 | 48 | | | | | | | | | | | | | | | | |
| 総合計 | 334 | 15 | 4.5% | 14 | 93.3% | 12 | 3 | 2 | | | | | 11 | 1 | | | 0.60% |

平成14年度 肺がんCT検診結果実績表(喫煙歴あり)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | 発見率 | | |
|-------|-------|----------|------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|-----|----------|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | | 異常 なし | 未確定 |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | |
| 39 以下 | 62 | | | | | | | | | | | | | | | |
| 40-44 | 101 | 2 | 2.0% | 1 | 50.0% | 2 | | | | | | | | 1 | | |
| 45-49 | 148 | 2 | 1.4% | 1 | 50.0% | | 2 | | | | | | | 1 | | |
| 50-54 | 222 | 12 | 5.4% | 12 | 100.0% | 6 | 6 | | | | | 10 | | 2 | | |
| 55-59 | 212 | 5 | 2.4% | 5 | 100.0% | 5 | | | | | 1 | 3 | | | 1 | |
| 60-64 | 354 | 6 | 1.7% | 6 | 100.0% | 5 | 1 | | | | | 3 | | 2 | 1 | |
| 65-69 | 373 | 14 | 3.8% | 11 | 78.6% | 12 | 2 | 2 | | | | 6 | | 2 | 1 | 0.54% |
| 70-74 | 368 | 20 | 5.4% | 19 | 95.0% | 18 | 2 | 2 | | | | 16 | | 1 | | 0.54% |
| 75 以上 | 279 | 16 | 5.7% | 16 | 100.0% | 13 | 3 | 2 | | | | 1 | 11 | 1 | 1 | 0.72% |
| 男性計 | 2,119 | 77 | 3.6% | 71 | 92.2% | 61 | 16 | 6 | | | | 2 | 49 | 10 | 4 | 0.28% |
| 39 以下 | 20 | | | | | | | | | | | | | | | |
| 40-44 | 26 | 1 | 3.8% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 45-49 | 21 | | | | | | | | | | | | | | | |
| 50-54 | 24 | | | | | | | | | | | | | | | |
| 55-59 | 25 | | | | | | | | | | | | | | | |
| 60-64 | 16 | 1 | 6.3% | 1 | 100.0% | | 1 | | | | | 1 | | | | |
| 65-69 | 15 | | | | | | | | | | | | | | | |
| 70-74 | 12 | 1 | 8.3% | 1 | 100.0% | 1 | | | | | | | | 1 | | |
| 75 以上 | 6 | | | | | | | | | | | | | | | |
| 女性計 | 165 | 3 | 1.8% | 3 | 100.0% | 2 | 1 | | | | | 2 | | 1 | | |
| 39 以下 | 82 | | | | | | | | | | | | | | | |
| 40-44 | 127 | 3 | 2.4% | 2 | 66.7% | 3 | | | | | | 1 | | 1 | | |
| 45-49 | 169 | 2 | 1.2% | 1 | 50.0% | | 2 | | | | | | | 1 | | |
| 50-54 | 246 | 12 | 4.9% | 12 | 100.0% | 6 | 6 | | | | | 10 | | 2 | | |
| 55-59 | 237 | 5 | 2.1% | 5 | 100.0% | 5 | | | | | 1 | 3 | | | 1 | |
| 60-64 | 370 | 7 | 1.9% | 7 | 100.0% | 5 | 2 | | | | | 4 | | 2 | 1 | |
| 65-69 | 388 | 14 | 3.6% | 11 | 78.6% | 12 | 2 | 2 | | | | 6 | | 2 | 1 | 0.52% |
| 70-74 | 380 | 21 | 5.5% | 20 | 95.2% | 19 | 2 | 2 | | | | 16 | | 2 | | 0.53% |
| 75 以上 | 285 | 16 | 5.6% | 16 | 100.0% | 13 | 3 | 2 | | | | 1 | 11 | 1 | 1 | 0.70% |
| 総合計 | 2,284 | 80 | 3.5% | 74 | 92.5% | 63 | 17 | 6 | | | | 2 | 51 | 11 | 4 | 0.26% |

平成14年度 肺がんCT検診結果実績表(喫煙歴なし)

作成日:2011/4/15
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | 発見率 | | |
|-------|-------|----------|------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|-----|----------|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | | 異常 なし | 未確定 |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | |
| 39 以下 | 15 | | | | | | | | | | | | | | | |
| 40-44 | 19 | | | | | | | | | | | | | | | |
| 45-49 | 15 | | | | | | | | | | | | | | | |
| 50-54 | 27 | 1 | 3.7% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 55-59 | 33 | 1 | 3.0% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 60-64 | 89 | | | | | | | | | | | | | | | |
| 65-69 | 85 | 6 | 7.1% | 6 | 100.0% | 4 | 2 | 3 | | | | 3 | | | | 3.53% |
| 70-74 | 99 | 5 | 5.1% | 5 | 100.0% | 5 | | | | | | 3 | | 2 | | |
| 75 以上 | 68 | 5 | 7.4% | 4 | 80.0% | 4 | 1 | | | | 1 | 3 | | | | |
| 男性計 | 450 | 18 | 4.0% | 17 | 94.4% | 15 | 3 | 3 | | | | 1 | 11 | 2 | | 0.67% |
| 39 以下 | 38 | 1 | 2.6% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 40-44 | 78 | 2 | 2.6% | 2 | 100.0% | 2 | | 1 | | | | | | 1 | | 1.28% |
| 45-49 | 93 | 1 | 1.1% | 1 | 100.0% | 1 | | | | | | | 1 | | | |
| 50-54 | 143 | 5 | 3.5% | 5 | 100.0% | 2 | 3 | 2 | | | | 3 | | | | 1.40% |
| 55-59 | 192 | 6 | 3.1% | 5 | 83.3% | 4 | 2 | 1 | | | | 2 | 2 | | | 0.52% |
| 60-64 | 287 | 10 | 3.5% | 10 | 100.0% | 7 | 3 | 1 | | | | 8 | 1 | | | 0.35% |
| 65-69 | 296 | 18 | 6.1% | 17 | 94.4% | 16 | 2 | 1 | | | | 11 | 4 | 1 | | 0.34% |
| 70-74 | 253 | 15 | 5.9% | 14 | 93.3% | 11 | 4 | 2 | | | | 8 | 3 | 1 | | 0.79% |
| 75 以上 | 152 | 5 | 3.3% | 5 | 100.0% | 3 | 2 | | | | | 4 | 1 | | | |
| 女性計 | 1,532 | 63 | 4.1% | 60 | 95.2% | 47 | 16 | 8 | | | | 1 | 36 | 12 | 3 | 0.52% |
| 39 以下 | 53 | 1 | 1.9% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 40-44 | 97 | 2 | 2.1% | 2 | 100.0% | 2 | | 1 | | | | | | 1 | | 1.03% |
| 45-49 | 108 | 1 | 0.9% | 1 | 100.0% | 1 | | | | | | | 1 | | | |
| 50-54 | 170 | 6 | 3.5% | 6 | 100.0% | 3 | 3 | 2 | | | | 4 | | | | 1.18% |
| 55-59 | 225 | 7 | 3.1% | 6 | 85.7% | 5 | 2 | 1 | | | | 3 | 2 | | | 0.44% |
| 60-64 | 376 | 10 | 2.7% | 10 | 100.0% | 7 | 3 | 1 | | | | 8 | 1 | | | 0.27% |
| 65-69 | 381 | 24 | 6.3% | 23 | 95.8% | 20 | 4 | 4 | | | | 14 | 4 | 1 | | 1.05% |
| 70-74 | 352 | 20 | 5.7% | 19 | 95.0% | 16 | 4 | 2 | | | | 11 | 3 | 3 | | 0.57% |
| 75 以上 | 220 | 10 | 4.5% | 9 | 90.0% | 7 | 3 | | | | 1 | 7 | 1 | | | |
| 総合計 | 1,982 | 81 | 4.1% | 77 | 95.1% | 62 | 19 | 11 | | | | 2 | 47 | 12 | 5 | 0.55% |

平成14年度 肺がんCT検診結果実績表(受動喫煙なし)

作成日:平成16年3月22日
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | | 発見率 | | |
|-------|-------|----------|------|-----------|--------|--------------|-----------|-----------|-----|----|----|------------|------------|----------|-----|-----|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | 異常 なし | | 未確定 | |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | | |
| 39 以下 | 15 | | | | | | | | | | | | | | | | |
| 40-44 | 18 | | | | | | | | | | | | | | | | |
| 45-49 | 13 | | | | | | | | | | | | | | | | |
| 50-54 | 25 | 1 | 4.0% | 1 | 100.0% | 1 | | | | | | 1 | | | | | |
| 55-59 | 31 | 1 | 3.2% | 1 | 100.0% | 1 | | | | | | 1 | | | | | |
| 60-64 | 82 | | | | | | | | | | | | | | | | |
| 65-69 | 83 | 6 | 7.2% | 6 | 100.0% | 4 | 2 | 3 | | | 3 | | 3 | | | | 3.61% |
| 70-74 | 94 | 5 | 5.3% | 5 | 100.0% | 5 | | | | | | | 3 | | | 2 | |
| 75 以上 | 62 | 4 | 6.5% | 3 | 75.0% | 3 | 1 | | | | | | 3 | | | | |
| 男性計 | 423 | 17 | 4.0% | 16 | 94.1% | 14 | 3 | 3 | | | 3 | | 11 | | | 2 | 0.71% |
| 39 以下 | 29 | | | | | | | | | | | | | | | | |
| 40-44 | 58 | 2 | 3.4% | 2 | 100.0% | 2 | | 1 | | | 1 | | | | | 1 | 1.72% |
| 45-49 | 65 | 1 | 1.5% | 1 | 100.0% | 1 | | | | | | | | 1 | | | |
| 50-54 | 97 | 4 | 4.1% | 4 | 100.0% | 2 | 2 | 2 | | | 2 | | 2 | | | | 2.06% |
| 55-59 | 142 | 3 | 2.1% | 2 | 66.7% | 3 | | | | | | | 1 | 1 | | | |
| 60-64 | 230 | 9 | 3.9% | 9 | 100.0% | 6 | 3 | 1 | | | 1 | | 7 | 1 | | | 0.43% |
| 65-69 | 231 | 13 | 5.6% | 12 | 92.3% | 11 | 2 | 1 | | | 1 | | 8 | 3 | | | 0.43% |
| 70-74 | 204 | 10 | 4.9% | 10 | 100.0% | 6 | 4 | 2 | | | 2 | | 7 | | | 1 | 0.98% |
| 75 以上 | 134 | 3 | 2.2% | 3 | 100.0% | 1 | 2 | | | | | | 2 | 1 | | | |
| 女性計 | 1,190 | 45 | 3.8% | 43 | 95.6% | 32 | 13 | 7 | | | 7 | | 27 | 7 | | 2 | 0.59% |
| 39 以下 | 44 | | | | | | | | | | | | | | | | |
| 40-44 | 76 | 2 | 2.6% | 2 | 100.0% | 2 | | 1 | | | 1 | | | | | 1 | 1.32% |
| 45-49 | 78 | 1 | 1.3% | 1 | 100.0% | 1 | | | | | | | | 1 | | | 0.00% |
| 50-54 | 122 | 5 | 4.1% | 5 | 100.0% | 3 | 2 | 2 | | | 2 | | 3 | | | | 1.64% |
| 55-59 | 173 | 4 | 2.3% | 3 | 75.0% | 4 | | | | | | | 2 | 1 | | | |
| 60-64 | 312 | 9 | 2.9% | 9 | 100.0% | 6 | 3 | 1 | | | 1 | | 7 | 1 | | | 0.32% |
| 65-69 | 314 | 19 | 6.1% | 18 | 94.7% | 15 | 4 | 4 | | | 4 | | 11 | 3 | | | 1.27% |
| 70-74 | 298 | 15 | 5.0% | 15 | 100.0% | 11 | 4 | 2 | | | 2 | | 10 | | | 3 | 0.67% |
| 75 以上 | 196 | 7 | 3.6% | 6 | 85.7% | 4 | 3 | | | | | | 5 | 1 | | | |
| 総合計 | 1,613 | 62 | 3.8% | 59 | 95.2% | 46 | 16 | 10 | | | 10 | | 38 | 7 | | 4 | 0.62% |

平成14年度 肺がんCT検診結果実績表(受動喫煙あり)

作成日:平成16年3月22日
(財)長野県健康づくり事業団

| 年齢区分 | 受診者数 | 要精検者数(%) | | 精検受診者数(%) | | 判定結果 | | 精密検査の結果 | | | | | | 発見率 | | |
|-------|------|----------|-------|-----------|--------|--------------|-----------|-----------|-----|----|---|------------|------------|-----|----------|-------|
| | | | | | | E1 (Ed・F) | E2 (E) | 悪性腫瘍であった者 | | | | 肺がん の疑い | その他 の疾患 | | 異常 なし | 未確定 |
| | | | | | | | | 原発性 | 転移性 | 不明 | 計 | | | | | |
| 39 以下 | | | | | | | | | | | | | | | | |
| 40-44 | 1 | | | | | | | | | | | | | | | |
| 45-49 | 2 | | | | | | | | | | | | | | | |
| 50-54 | 2 | | | | | | | | | | | | | | | |
| 55-59 | 2 | | | | | | | | | | | | | | | |
| 60-64 | 7 | | | | | | | | | | | | | | | |
| 65-69 | 2 | | | | | | | | | | | | | | | |
| 70-74 | 5 | | | | | | | | | | | | | | | |
| 75 以上 | 6 | 1 | 16.7% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 男性計 | 27 | 1 | 3.7% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 39 以下 | 9 | 1 | 11.1% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 40-44 | 20 | | | | | | | | | | | | | | | |
| 45-49 | 28 | | | | | | | | | | | | | | | |
| 50-54 | 46 | 1 | 2.2% | 1 | 100.0% | | 1 | | | | | 1 | | | | |
| 55-59 | 50 | 3 | 6.0% | 3 | 100.0% | 1 | 2 | 1 | | | | 1 | 1 | | | 2.00% |
| 60-64 | 57 | 1 | 1.8% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 65-69 | 65 | 5 | 7.7% | 5 | 100.0% | 5 | | | | | | 3 | 1 | | 1 | |
| 70-74 | 49 | 5 | 10.2% | 4 | 80.0% | 5 | | | | | | 1 | 3 | | | |
| 75 以上 | 18 | 2 | 11.1% | 2 | 100.0% | 2 | | | | | | 2 | | | | |
| 女性計 | 342 | 18 | 5.3% | 17 | 94.4% | 15 | 3 | 1 | | | 1 | 9 | 5 | | 1 | 0.29% |
| 39 以下 | 9 | 1 | 11.1% | 1 | 100.0% | 1 | | | | | 1 | | | | | |
| 40-44 | 21 | | | | | | | | | | | | | | | |
| 45-49 | 30 | | | | | | | | | | | | | | | |
| 50-54 | 48 | 1 | 2.1% | 1 | 100.0% | | 1 | | | | | 1 | | | | |
| 55-59 | 52 | 3 | 5.8% | 3 | 100.0% | 1 | 2 | 1 | | | | 1 | 1 | | | 1.92% |
| 60-64 | 64 | 1 | 1.6% | 1 | 100.0% | 1 | | | | | | 1 | | | | |
| 65-69 | 67 | 5 | 7.5% | 5 | 100.0% | 5 | | | | | | 3 | 1 | | 1 | |
| 70-74 | 54 | 5 | 9.3% | 4 | 80.0% | 5 | | | | | | 1 | 3 | | | |
| 75 以上 | 24 | 3 | 12.5% | 3 | 100.0% | 3 | | | | | 1 | 2 | | | | |
| 総合計 | 369 | 19 | 5.1% | 18 | 94.7% | 16 | 3 | 1 | | | 2 | 9 | 5 | | 1 | 0.27% |